#### **Q-scope**<sup>®</sup> Basic Stands







| Q-scope stand   Q-scope Metal Positioning Stand with easy 3D positioner   Stable height adjustable stand with fixed positioner   Transparant crad movement across and fast inspection  | lle for easy<br>ss flat surfaces |
|--|----------------------------------|
| Stable height adjustable stand with 3D positioner for accurate microscope control, ergonomic stable design Designed for maximum flexibility, ergonomic stable design  Applications  All All STAND  Features  Height adjustable, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design fixed positioner, ergonomic design portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle stable cradle stable design fixed positioner, ergonomic design portable cradle stable dreach, portable, fixed distance, light portable cradle stable dreach, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle stable dreach, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle stable dreach, portable, easy 3D positioner, ergonomic design portable cradle stable dreach, portable, easy 3D positioner, ergonomic design portable cradle stable dreach, portable, easy 3D positioner, ergonomic design portable cradle stable dreach, portable, easy 3D positioner, ergonomic design portable, easy 3D positioner, ergonomic design portable cradle stable design portable, easy 3D positioner, ergonomic design portable, ergonomic  | s flat surfaces                  |
| with 3D positioner for accurate microscope control, positioning options. and fast inspective accurate microscope control, positioning options. and fast inspective argonomic stable design Designed for maximum flexibility, working distance argonomic stable design  Applications All Surface inspective like printing and StrAND  Features Height adjustable, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradles stranged for the surface property of the surface proposition of the surface propos | s flat surfaces                  |
| Applications All All Every Peatures Piece asy 3D positioner, ergonomic design (w) 146 x (l) 176 x (h) 160 mm (w) 329 x (l) 138 x (h) 265 mm and fast inspective working distance inspective prognomic stable design  Features Height adjustable, portable, easy 3D positioner, ergonomic design (w) 146 x (l) 176 x (h) 160 mm (w) 329 x (l) 138 x (h) 265 mm (d) 98 x (h) 50 mm   |                                  |
| Page 20 Part of the protection | on at a fixed                    |
| Features Height adjustable, portable, easy 3D positioner, ergonomic design All Extended reach, portable, easy 3D positioner, ergonomic design portable, will all all all all all all all all all   |                                  |
| Applications All Surface inspectic like printing and Extended reach, portable, easy 3D positioner, ergonomic design portable, will 160 mm (w) 329 x (l) 138 x (h) 265 mm (d) 98 x (h) 50 mm  |                                  |
| STAND Features Height adjustable, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle stance, light adjustable, portable, easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle stance, light fixed positioner, ergonomic design portable, fixed distance, light fixed positioner, ergonomic design portable, fixed distance, light fixed positioner, ergonomic design portable cradle stance, light fixed positioner, ergonomic design portable, light fixed positioner,  |                                  |
| Features Height adjustable, portable, Extended reach, portable, Fixed distance, liging fixed positioner, ergonomic design portable cradle states.  Dimensions (w) 146 x (l) 176 x (h) 160 mm (w) 329 x (l) 138 x (h) 265 mm (d) 98 x (h) 50 mm   | n                                |
| easy 3D positioner, ergonomic design fixed positioner, ergonomic design portable cradle sta  Dimensions (w) 146 x (l) 176 x (h) 160 mm (w) 329 x (l) 138 x (h) 265 mm (d) 98 x (h) 50 mm   | fabrics                          |
| <b>Dimensions</b> (w) 146 x (l) 176 x (h) 160 mm (w) 329 x (l) 138 x (h) 265 mm (d) 98 x (h) 50 mm   | ht weight,                       |
| (1), 1 = 1 (), 1 | and                              |
| Working distance 0 - 105 mm 0 - 120 mm 15 mm   | n                                |
| 0 12011111   |                                  |
| Working range (X/Y)  |                                  |
| Weight 620 grams 580 grams 35 grams  |                                  |
| Compatible with All Q-scope models All Q-scope models All Q-scope mod  | els                              |
| Package contents         Stand, 3D positioner holder,         Stand, fixed positioner holder,         Stand, holder, us  | er manual                        |
| wrench, cable guiding clamp, wrench, cable guiding clamp,  |                                  |
| user manual user manual  |                                  |

www.q-scope.com

Q-scope® stands

with unique easy 3D positioner

Check out the easy 3D positioner for effortless positioning of the Q-scope in all possible angles

A unique feature optional of the Q-scope stands range is the 3D **positioner**, which enables very easy and precise three-dimensional positioning and focussing using only one hand! We invite you to experience this fully rotatable state-of-the-art positioning tool while using your Q-scope digital microscope



The Q-scope Metal Basic Stand offers a steady positioning of the microscope and with the 3D-positioning holder the Q-scope can be effortless positioned in literally each three dimensional position using only ONE hand!



www.q-scope.com



## Q-scope® stands

#### Matching all applications

The Q-scope stands are designed to be stable and well balanced and provide smooth adjustment and positioning of the Q-scope digital microscopes

The desktop models consist out of a black coated metal base with a chromed steel post. The **Q-scope Metal Gooseneck Stand** has a black coated metal boomerang shaped base with a chromed flexible gooseneck with holder. With each stand a cable clamp is provided in order to secure the USB cable of the wired **Q-scope** models

The **Q-scope Metal Boom-arm Stand** offers an extra steady and precise positioning of the microscope

The large pillar and long articulated arm of the **Q-scope Metal Articulated-arm Stand** enables users to place large objects under the Q-scope. Use the fixed or the 3D-positioning holder to literally position the Q-scope in any three dimensional position effortlessly



The **fine focus adjustment system** allows accurate positioning and focusing of the Q-scope for precise microscope height control

The Cradle Stand offers a hands-free usage of the Q-scope to view at a fixed working distance. You can easily put the Q-scope into the cradle for close inspection at a high magnification

www.q-scope.com

#### **Q-scope**<sup>®</sup> Professional Stands







| MODEL   | Product number      | QS.MS40-A   | QS.MS45-A  | QS.MS40-B  |
|---------|---------------------|---|--|--|
| DETAILS | Q-scope stand       | Q-scope Metal Boom-arm stand with fixed position                        | Q-scope Metal Articulated-arm stand with fixed positioner              | Q-scope Metal Boom-arm stand<br>with 3D positioner                   |
|         |                     | Extra stable height adjustable stand with fixed positioner for accurate | Extra stable and height adjustable articulated-arm stand with fixed    | Extra stable height adjustable stand with 3D positioner for accurate |
|         |                     | microscope control, suitable for large objects, ergonomic design        | positioner for accurate microscope control, suitable for large objects | microscope control, suitable for<br>large objects, ergonomic design  |
|         | Applications        | All   | All  | All  |
| STAND   | Features            | Height adjustable, portable,  | Height adjustable, portable,   | Height adjustable, portable,   |
|         |                     | fixed positioner, suitable for large objects, ergonomic design          | fixed positioner, suitable for large objects, ergonomic design         | easy 3D positioner, suitable for large objects, ergonomic design     |
|         | Dimensions          | (w) 220 x (l) 250 x (h) 287 mm  | (w) 220 x (l) 250 x (h) 287 mm   | (w) 220 x (l) 250 x (h) 287 mm                                       |
|         | Working distance    | 0 - 230 mm  | 0 - 230 mm   | 0 - 230 mm   |
|         | Working range (X/Y) | 148/148 mm  | 293/293 mm   | 190/190 mm   |
|         | Focusing range      |   |  |  |
|         | Weight              | 1600 grams  | 1800 grams   | 1600 grams   |
|         | Compatible with     | All Q-scope models  | All Q-scope models   | All Q-scope models   |
|         | Package contents    | Stand, fixed positioner holder,   | Stand, fixed positioner holder,  | Stand, fine focus unit,  |
|         |                     | wrench, cable guiding clamp,  | wrench, cable guiding clamp,   | fixed position holder, wrench,                                       |
|         |                     | user manual   | user manual  | cable guiding clamp, user manual                                     |

www.q-scope.cor

### **Q-scope**<sup>®</sup> Professional Stands







| MODEL   | Product number      | QS.MS45-B                                  | QS.MS40-C                             | QS.MS45-C                             |
|---------|---------------------|--|---------------------------------------|---------------------------------------|
| DETAILS | Q-scope stand       | Q-scope Metal Articulated-arm Stand        | Q-scope Metal Boom-arm Stand          | Q-scope Metal Articulated-arm Stand   |
|         |                     | with 3D positioner                         | with fine focus adjustment            | with fine focus adjustment            |
|         |                     |  | and fixed positioner                  | and fixed positioner                  |
|         |                     | Extra stable and height adjustable         | Extra stable and height adjustable    | Extra stable height adjustable        |
|         |                     | articulated stand with 3D positioner       | stand with fine focus adjustment,     | articulated stand with fine focus     |
|         |                     | for accurate microscope control,           | and fixed positioner for precise      | adjustment and fixed positioner for   |
|         |                     | suitable for large objects                 | microscope control in height,         | precise microscope control in height, |
|         |                     |  | suitable for large objects, ergonomic | suitable for large objects, ergonomic |
|         |                     |  | design                                | design                                |
|         | Applications        | All  | All                                   | All                                   |
| STAND   | Features            | Height adjustable, articulated,            | Height adjustable, portable,          | Height adjustable, portable,          |
|         |                     | portable, easy 3D positioner, suitable for | fixed positioner, suitable for large  | fixed positioner, suitable for large  |
|         |                     | large objects, ergonomic design            | objects, ergonomic design             | objects, ergonomic design             |
|         | Dimensions          | (w) 220 x (l) 250 x (h) 287 mm             | (w) 220 x (l) 250 x (h) 287 mm        | (w) 220 x (l) 250 x (h) 287 mm        |
|         | Working distance    | 0 - 230 mm                                 | 0 - 235 mm                            | 0 - 235 mm                            |
|         | Working range (X/Y) | 335/335 mm                                 | 45/137 mm                             | 190/282 mm                            |
|         | Focusing range      |  | 44 mm                                 | 44 mm                                 |
|         | Weight              | 1800 grams                                 | 1700 grams                            | 1900 grams                            |
|         | Compatible with     | All Q-scope models                         | All Q-scope models                    | All Q-scope models                    |
|         | Package contents    | Stand, fixed positioner holder,            | Stand, fine focus unit,               | Stand, fine focus unit,               |
|         |                     | wrench, cable guiding clamp,               | fixed position holder, wrench,        | fixed positioner holder, wrench,      |
|         |                     | user manual                                | cable guiding clamp, user manual      | cable guiding clamp, user manual      |






| QS.MS40-D                            | QS.MS45-D                              |
|--------------------------------------|--|
| Q-scope Metal Boom-arm Stand         | Q-scope Metal Boom-arm Stand           |
| with fine focus adjustment           | with fine focus adjustment             |
| 3D positioner                        | and fixed positioner                   |
| Extra stable and height adjustable   | Extra stable and height adjustable     |
| stand with fine focus adjustment,    | stand with fine focus adjustment       |
| and fixed positioner for precise     | and 3D positioner for precise          |
| microscope control in height,        | microscope control in height and all   |
| suitable for large objects,          | directions, suitable for large objects |
| ergonomic design                     |  |
| All                                  | All                                    |
| Height adjustable, portable,         | Height adjustable, portable,           |
| fixed positioner, suitable for large | fixed positioner, suitable for large   |
| objects, ergonomic design            | objects, ergonomic design              |
| (w) 220 x (l) 250 x (h) 287 mm       | (w) 220 x (l) 250 x (h) 287 mm         |
| 0 - 235 mm                           | 0 - 235 mm                             |
| 45/137 mm                            | 152/182 mm                             |
| 44 mm                                | 44 mm                                  |
| 1700 grams                           | 1700 grams                             |
| All Q-scope models                   | All Q-scope models                     |
| Stand, fine focus unit,              | Stand, fine focus unit,                |
| fixed position holder, wrench,       | 3D positioner holder, wrench,          |
| cable guiding clamp, user manual     | cable guiding clamp, user manual       |

#### Q-scope®

# Maximum flexibility with the articulated arm stand

Using Q-scope articulated stand allows users to position their Q-scope in virtual all postions

Position your Q-scope in any angle, height or depth with ease without compromising stabilty. No matter what object you want to examine with your Q-scope, the articulated-arm stand does the job





www.q-scope.con

www.g-scope.com